

## Lista de especies del phylum Mollusca registradas para el Caribe colombiano

*Abra aequalis* (Say, 1822)  
*Abra longicallis* (Sacchi, 1837)  
*Abralia veranyi* (Rüppell, 1844)  
*Acanthochitona pygmaea* (Pilsbry, 1893)  
*Acanthochitona rodea* (Pilsbry, 1893)  
*Acanthochitona spiculosa* (Reeve, 1847)  
*Acanthochitona venezuelana* Lyons, 1888  
*Acanthopleura granulata* (Gmelin, 1791)  
*Acar domingensis* (Lamarck, 1819)  
*Acesta colombiana* (H.E. Vokes, 1970)  
*Acmaea antillarum* (Sowerby, 1831)  
*Acmaea leucopleura* (Gmelin, 1791)  
*Acmaea pustulata* (Helbling, 1779)  
*Acteocina candei* (d'Orbigny, 1842)  
*Acteocina recta* (d'Orbigny, 1841)  
*Acteon danaida* Dall, 1881  
*Acteon punctostriatus* (C.B. Adams, 1840)  
*Actinotrophon actinophorus* (Dall, 1889)  
*Adrana gloriosa* (A. Adams, 1855)  
*Adrana patagonica* (d'Orbigny, 1846)  
*Adrana scaphoides* Rehder, 1939  
*Adrana tellinoides* (Sowerby, 1823)  
*Aesopus obesus* (Hinds, 1843)  
*Aesopus stearnsi* (Tryon, 1883)  
*Agathotoma badia* (Reeve, 1846)  
*Agathotoma candidisima* (C.B. Adams, 1850)  
*Agatrix smithi* (Dall, 1888)  
*Agladrillia rhodochroa* (Dautzenberg, 1900)  
*Akera bayeri* Marcus y Marcus, 1967  
*Alaba incerta* (d'Orbigny, 1842)  
*Alvania avernas* (C.B. Adams, 1850)  
*Alvania auberiana* (d'Orbigny, 1842)  
*Alvania colombiana* Romer y Moore, 1988  
*Amaea mitchelli* (Dall, 1889)  
*Amaea retiñera* (Dall, 1889)  
*Americardia media* (Linné, 1758)  
*Amusium laurenti* (Gmelin, 1791)  
*Amusium payraceum* (Gabb, 1873)  
*Amygdalum politum* (Verrill y Smith, 1880)  
*Amygdalum sagittatum* Rehder, 1934  
*Anachis* cf. *fraudans* Jung, 1969  
*Anachis coseli* Díaz y Mittnacht, 1991  
*Anachis hotessieriana* (d'Orbigny, 1842)  
*Anachis lyrata* (Sowerby, 1832)  
*Anachis obesa* (C.B. Adams, 1845)  
*Anachis pretrii* (Duclos, 1846)  
*Anachis sertulariarum* (d'Orbigny, 1839)  
*Anachis sparsa* (Reeve, 1859)  
*Anachis varia* (Sowerby, 1832)  
*Anadara baughmani* Hertlein, 1951  
*Anadara chemnitzii* (Philippi, 1851)

*Anadara notabilis* (Röding, 1798)  
*Anatina anatina* (Spengler, 1802)  
*Ancilla glabrata* (Linné, 1758)  
*Anodontia alba* Link, 1807  
*Anomalocardia brasiliana* (Gmelin, 1791)  
*Anomia ephippium* Linné, 1758  
*Antalis antillarum* (d'Orbigny, 1842)  
*Antalis circumcincta* (Watson, 1879)  
*Antalis disparile* (d'Orbigny, 1842)  
*Anticlimax athleenae* Pilsbry y McGinty, 1946  
*Anticlimax schumoi* (Vanatta, 1913)  
*Antillophos bayeri* Petuch, 1987  
*Antillophos candei* (d'Orbigny, 1842)  
*Antillophos* cf. *adelus* (Schwengel, 1942)  
*Antillophos chazalei* (Dautzenberg, 1900)  
*Antillophos elegans* (Guppy, 1866)  
*Aplysia brasiliana* Rang, 1828  
*Aplysia cervina* (Dall y Simpson, 1901)  
*Arca imbricata* Bruguiere, 1789  
*Arca zebra* (Swainson, 1833)  
*Architectonica nobilis* Röding, 1798  
*Arcinella arcinella* (Linné, 1767)  
*Arcopsis adamsi* (Dall, 1886)  
*Arene* cf. *bitleri* Olsson y McGinty, 1958  
*Arene cruentata* (Mühlfeld, 1829)  
*Arene laguairana* Weisbord, 1964  
*Arene tricarinata* (Stearns, 1872)  
*Arene variabilis* (Dall, 1889)  
*Argonauta argo* Linné, 1758  
*Argopecten irradians amplicostatus* (Dall, 1898)  
*Argopecten lineolaris* (Lamarck, 1819)  
*Argopecten nucleus* (Born, 1780)  
*Armina elongata* Ardila y Valdés, 2004  
*Armina juliana* Ardila y Díaz, 2002  
*Armina muelleri* (Ihering, 1886)  
*Asaphis deflorata* (Linné, 1758)  
*Assimineia succinea* (Pfeiffer, 1840)  
*Astrae phoebia* Röding, 1798  
*Astraea brevispina* (Lamarck, 1822)  
*Astraea caelata* (Gmelin, 1791)  
*Astraea tecta tecta* (Lightfoot, 1786)  
*Astraea tuber* (Linné, 1758)  
*Atlanta gaudichaudi* Souleyet, 1852  
*Atlanta peronii* Lesueur, 1817  
*Atrina seminuda* (Lamarck, 1819)  
*Atrina serrata* (Sowerby, 1825)  
*Attiliosa* cf. *philippiana* (Dall, 1889)  
*Attiliosa philippiana* (Dall, 1889)  
*Atys* cf. *caribaea* (d'Orbigny, 1841)  
*Atys* cf. *macandrewi* E.A. Smith, 1871  
*Atys guildingi* (Sowerby, 1869)  
*Atys riiseana* Mörch, 1875  
*Babelomurex dalli* (Emerson y D'Attilio, 1963)

*Babelomurex mansfieldi* (McGinty, 1940)  
*Babelomurex tectumsinensis* (Deshayes, 1856)  
*Bactrocythara asarca* (Dall y Simpson, 1901)  
*Bailya parva* (C.B. Adams, 1850)  
*Bankia campanellata* Moll y Roch, 1931  
*Bankia carinata* (Gray, 1827)  
*Bankia cieba* Clench y Turner, 1946  
*Bankia destructa* Clench y Turner, 1946  
*Bankia fimbriatula* Moll y Roch, 1931  
*Bankia gouldi* Bartsch, 1908  
*Barbatia cancellaria* (Lamarck, 1819)  
*Barbatia candida* (Helbling, 1799)  
*Barnea truncata* (Say, 1822)  
*Basterotia elliptica* (Récluz, 1850)  
*Basterotia quadrata* (Hinds, 1843)  
*Bathyarca glomerula* (Dall, 1881)  
*Batillaria minima* (Gmelin, 1791)  
*Bellaspira margaritensis* McLean y Poorman, 1970  
*Bellaspira pentagonalis* (Dall, 1889)  
*Bentharca sagrinata* (Dall, 1886)  
*Benthoctopus januari* (Hoyle, 1885)  
*Benthoctopus oregonae*  
*Bittium varium* (Pfeiffer, 1840)  
*Bornella calcarata* Mörch, 1863  
*Botula fusca* (Gmelin, 1791)  
*Brachidontes domingensis* (Lamarck, 1819)  
*Brachidontes exustus* (Linné, 1758)  
*Brachidontes modiolus* (Linné, 1758)  
*Brachycythara biconica* (C.B. Adams, 1850)  
*Bractechlamys antillarum* (Récluz, 1853)  
*Buccinofusus surinamensis* Okutani, 1982  
*Buchema interstrigata* (E.A. Smith, 1882)  
*Bulla solida* Gmelin, 1791  
*Bulla striata* Bruguiere, 1792  
*Bursa corrugata* (Perry, 1811)  
*Bursa granularis cubaniana* (d'Orbigny, 1842)  
*Bursa spadicea* (Montfort, 1810)  
*Bursa thomae* (d'Orbigny, 1842)  
*Bursatella leachii pleii* Rang, 1828  
*Cadulus obesus* Watson, 1879  
*Cadulus tersus* Henderson, 1920  
*Cadulus verrilli* Henderson, 1920  
*Caecum antillarum* Carpenter, 1857  
*Caecum clava* Folin, 1867  
*Caecum cornucopiae* Carpenter, 1858  
*Caecum cubitatum* Folin, 1868  
*Caecum floridanum* Stimpson, 1851  
*Caecum imbricatum* Carpenter, 1858  
*Caecum nitidum* Stimpson, 1851  
*Caecum pulchellum* Stimpson, 1851  
*Caecum ryssotitum* Folin, 1867  
*Calliodentalium callipeplum* (Dall, 1889)  
*Calliostoma adpersum* (Philippi, 1851)

*Calliostoma alternum* Quinn, 1992  
*Calliostoma barbouri* Clench y Aguayo, 1946  
*Calliostoma* cf. *rude* Quinn, 1992  
*Calliostoma fernandesi* Princz, 1978  
*Calliostoma fucosum* Quinn, 1992  
*Calliostoma javanicum* (Gmelin, 1791)  
*Calliostoma jujubinum* (Gmelin, 1791)  
*Calliostoma orion* Dall, 1889  
*Calliostoma pulchrum* (C.B. Adams, 1850)  
*Calliostoma purpureum* Quinn, 1992  
*Calliostoma rosewateri* Clench y Turner, 1960  
*Calliostoma semisuave* Quinn, 1992  
*Calliostoma serratum* Quinn, 1992  
*Calliotropis lissocona* (Dall, 1881)  
*Callista eucymata* (Dall, 1890)  
*Callista maculata* (Linné, 1758)  
*Callistochiton portobelensis* Ferreira, 1976  
*Calloplax janeirensis* (Gray, 1828)  
*Calmella bandeli* Marcus, 1976  
*Calodisculus retiferus* (Dall, 1892)  
*Calotrophon velero* (E.H. Vokes, 1970)  
*Calyptogena modioliforma* (Boss, 1968)  
*Calyptogena ponderosa* Boss, 1968  
*Calytraea centrales* (Conrad, 1841)  
*Cancellaria reticulata* (Linné, 1767)  
*Cantrainea macleani* Warén y Bouchet, 1993  
*Capulus galeus*  
*Capulus incurvatus* (Gmelin, 1791)  
*Capulus ungaricus* (Linné, 1767)  
*Cardiomya alternata* (d'Orbigny, 1846)  
*Cardiomya ornatissima* (d'Orbigny, 1846)  
*Cardiomya perrostrata* (Dall, 1881)  
*Cardiomya striata* (Jeffreys, 1876)  
*Carditamera gracilis* (Shuttleworth, 1856)  
*Carditopsis smithii* (Dall, 1896)  
*Careliopsis bermudensis* Dall y Bartsch, 1911  
*Careliopsis octona* (Guppy, 1896)  
*Caribachlamys ornata* (Lamarck, 1819)  
*Caribachlamys sentis* (Reeve, 1853)  
*Caryocorbula cymella* (Dall, 1881)  
*Cassis flammea* (Linné, 1758)  
*Cassis madagascariensis* Lamarck, 1822  
*Cassis tuberosa* (Linné, 1758)  
*Cataegis meroglypta* McLean y Quinn, 1987  
*Cataegis toreuta* McLean y Quinn, 1987  
*Cavolinia gibosa* (d'Orbigny, 1836)  
*Cavolinia longirostris* (Blainville, 1821)  
*Cavolinia tridentata* (Niebuhr, 1775)  
*Cavolinia uncinata* (Rang, 1829)  
*Ceratozona squalida* (C.B. Adams, 1845)  
*Cerithidea pliculosa* Menke, 1829  
*Cerithiopsis bicolor* (C.B. Adams, 1845)  
*Cerithiopsis emersoni* (C.B. Adams, 1839)

*Cerithiopsis fusiforme* (C.B. Adams, 1850)  
*Cerithiopsis greeni* (C.B. Adams, 1849)  
*Cerithiopsis latum* (C.B. Adams, 1850)  
*Cerithiopsis rugulosum* (C.B. Adams, 1850)  
*Cerithium atratum* (Born, 1778)  
*Cerithium eburneum* Bruguiere, 1792  
*Cerithium guinaicum* Philippi, 1849  
*Cerithium litteratum* (Born, 1780)  
*Cerithium lutosum* Menke, 1828  
*Cerodrillia coccinata* (Reeve, 1845)  
*Cerodrillia perryae* Bartsch y Rehder, 1939  
*Cerodrillia thea* (Dall, 1883)  
*Chaetopleura apiculata* (Say, 1830)  
*Chama congregata* Conrad, 1833  
*Chama florida* Lamarck, 1819  
*Chama macerophylla* Gmelin, 1791)  
*Chama sarda* Reeve, 1847  
*Chama sinuosa* Broderip, 1835  
*Charonia tritonis variegata* (Lamarck, 1816)  
*Cheilea equestris* (Linné, 1758)  
*Chicoreus brevifrons* (Lamarck, 1822)  
*Chione cancellata* (Linné, 1767)  
*Chione cancellata mazycki* Dall, 1902  
*Chione intapurpurea* (conrad, 1849)  
*Chione paphia* (Linné, 1767)  
*Chione subrostrata* (Lamarck, 1818)  
*Chiton marmoratus* Gmelin, 1791  
*Chiton squamosus* Linné, 1764  
*Chiton tuberculatus* Linné, 1758  
*Chiton viridis* Spengler, 1797  
*Chlamys imbricata* (Gmelin, 1791)  
*Chlamys leucophaeus* (Reeve, 1852)  
*Chlamys muscosa* (Wood, 1828)  
*Chlamys nucleus*  
*Choneplax lata* (Guilding, 1829)  
*Circomphalus strigillinus* (Dall, 1902)  
*Cittarium pica* (Linné, 1758)  
*Clathrodrillia albicoma* (Dall, 1889)  
*Clathrodrillia dautzenbergi* (Tippett, 1995)  
*Clathrodrillia gibbosa* (Born, 1778)  
*Clathrodrillia minor* (Dautzenberg, 1900)  
*Clio pyramidata* Linné, 1767  
*Cococrater portoricensis* (Dall y Simpson, 1901)  
*Cocculina emsoni* McLean y Harasewych, 1995  
*Cocculina messingi* McLean y Harasewych, 1995  
*Cocculina portoricensis* Dall y Simpson, 1901  
*Cocculina rathbuni* Dall, 1882  
*Cochlespira elegans* (Dall, 1881)  
*Cochlespira radiata* (Dall, 1889)  
*Cochliolepis parasitica* Stimpson, 1858  
*Codakia costata* (d'Orbigny, 1846)  
*Codakia orbicularis* (Linné, 1758)  
*Codakia orbiculata* (Montagu, 1808)

*Codakia pectinella* (C.B. Adams, 1852)  
*Colubraria bayeri* Petuch, 1987  
*Colubraria lanceolata* (Menke, 1828)  
*Colubraria obscura* (Reeve, 1844)  
*Colubraria swifti* (Tryon, 1881)  
*Columbella mercatoria* (Linné, 1758)  
*Compressidens pressum* Pilsbry y Sharp, 1897  
*Compsodrillia polytorta* (Dall, 1881)  
*Compsodrillia tristicha* (Dall, 1889)  
*Conchocele* cf. *bisecta* (Conrad, 1849)  
*Condylonucula cynthiae* Moore, 1977  
*Conomitra leonardhilli* Petuch, 1987  
*Conomitra lindae* Petuch, 1987  
*Conus amphiurgus* Dall, 1889  
*Conus archetypus beddomei* Sowerby, 1901  
*Conus armiger bajanensis* Usticke, 1968  
*Conus austini* Rehder y Abbott, 1951  
*Conus bayeri* Petuch, 1987  
*Conus cancellatus* Hwass, 1792  
*Conus cardinalis* Hwass, 1792  
*Conus cedonulli mappa* Hwass, 1792  
*Conus centurio* Born, 1778  
*Conus* cf. *pseudoaurantius* Vink y Cosel, 1985  
*Conus cingulatus* Lamarck, 1810  
*Conus daucus* Hwass [en Bruguiere], 1792  
*Conus emineus* Born, 1778  
*Conus glenni* Petuch, 1993  
*Conus granarius*  
*Conus granulatus* Linné, 1758  
*Conus jaspideus* Gmelin, 1791  
*Conus kevani* Petuch, 1987  
*Conus lemniscatus* Reeve, 1849  
*Conus lindae* Petuch, 1987  
*Conus mappa granarius* Kiener, 1848  
*Conus mazei* Deshayes, 1874  
*Conus mindanus* Hwass [en Bruguiere], 1792  
*Conus mus* Hwass [en Bruguiere], 1792  
*Conus penchaszadehi* Petuch, 1986  
*Conus philippi garciai* da Motta, 1982  
*Conus puncticulatus* Hwass [en Bruguiere], 1792  
*Conus regius* Gmelin, 1791  
*Conus sanderi* Wils y Moolenbeek, 1979  
*Conus spurius lorenzianus* Dillwyn, 1817  
*Conus spurius spurius* Gmelin, 1791  
*Conus villepini* Fisher y Bernardi, 1857  
*Conus vittatus* Hwass [en Bruguiere], 1792  
*Cooperella atlantica* Rehder, 1943  
*Coralliophaga coralliophaga* (Gmelin, 1791)  
*Coralliophila abbreviata* (Lamarck, 1816)  
*Coralliophila aberrans* (C.B. Adams, 1850)  
*Coralliophila caribaea* Abbott, 1958  
*Coralliophila squamosa* (Bivona, 1838)  
*Corbula aequivalvis* Philippi, 1836

*Corbula caribaea* d'Orbigny, 1842  
*Corbula chittyana* C.B. Adams, 1852  
*Corbula contracta* Say, 1822  
*Corbula dietziana* C.B. Adams, 1852  
*Corbula operculata* Philippi, 1849  
*Corbula patagonica* d'Orbigny, 1846  
*Cornisepta acuminata* (Watson, 1883)  
*Cosmioconcha calliglypta* (Dall y Simpson, 1901)  
*Cosmioconcha nitens* (C.B. Adams, 1850)  
*Costoanachis helenae* (F.H.A. Costa, 1983)  
*Cranopsis granulata* (Seguenza, 1863)  
*Crassinella lunulata* (Conrad, 1834)  
*Crassinella martinicensis* (d'Orbigny, 1846)  
*Crassispira apicata* (Reeve, 1845)  
*Crassispira* cf. *solida* (C.B. Adams, 1850)  
*Crassispira dysoni* (Reeve, 1846)  
*Crassispira fuscescens* (Reeve, 1843)  
*Crassispira paxillus* (Reeve, 1845)  
*Crassostrea rhizophorae* (Guilding, 1828)  
*Crenella abbotti* Altena, 1968  
*Crenella divaricata* (d'Orbigny, 1846)  
*Crepidula aculeata* (Gmelin, 1791)  
*Crepidula convexa* Say, 1822  
*Crepidula plana* Say, 1822  
*Cresseis acicula* Rang, 1828  
*Crucibulum auricula* (Gmelin, 1791)  
*Crucibulum* cf. *striatum* (Say, 1826)  
*Crucibulum mareense* Weisbord, 1962  
*Crucibulum planum* Schumacher, 1817  
*Cryoturris fargoii* McGinty, 1955  
*Cryoturris quadrilineata* (C.B. Adams, 1850)  
*Cryoturris serga* (Dall, 1881)  
*Ctenoides scabra* (Born, 1778)  
*Cumingia coarctata* Sowerby, 1833  
*Cuspidaria fraterna* Verrill y Bush, 1898  
*Cuspidaria jeffreysi* (Dall, 1881)  
*Cuspidaria media* Verrill y Bush, 1898  
*Cuvierina columella* (Rang, 1827)  
*Cyathodonta semirugosa* (Reeve, 1859)  
*Cyclinella tenuis* (Récluz, 1852)  
*Cyclopecten nanus* Verrill y Bush, 1897  
*Cyclostrema tortuganum* Dall, 1927  
*Cyclostremiscus beauii* (Fischer, 1857)  
*Cyclostremiscus caraboboensis* (Weisbord, 1962)  
*Cyclostremiscus jeannae* Pilsbry y McGinty, 1945  
*Cyclostremiscus pentagonus* (Gabb, 1873)  
*Cyclostremiscus schrammi* (Fischer, 1857)  
*Cylichna krebsi* Mörch, 1875  
*Cylichnella bidentata* (d'Orbigny, 1841)  
*Cylindrobulla beauii* P. Fisher, 1856  
*Cymatium caribbaeum* Clench y Turner, 1957  
*Cymatium femoral* (Linné, 1758)  
*Cymatium krebsi* (Mörch, 1877)

*Cymatium labiosum* (Wood, 1828)  
*Cymatium nicobaricum* (Röding, 1798)  
*Cymatium parthenopeum* (von Salis, 1793)  
*Cymatium pileare* (Linné, 1758)  
*Cymatoica orientalis* (Dall, 1890)  
*Cyphoma gibbosum* (Linné, 1758)  
*Cyphoma signatum* Pilsbry y McGinty, 1939  
*Cypraea cassis*  
*Cypraea cinerea* Gmelin, 1791  
*Cypraea donmoorei* (Petuch, 1979)  
*Cypraea mus* Linné, 1758  
*Cypraea spurca acicularis* Gmelin, 1791  
*Cypraea zebra* Linné, 1758  
*Cypraeacassis testiculus* (Linné, 1758)  
*Cypraeolina ovuliformis* (d'Orbigny, 1842)  
*Cyraea surnamensis* Perry, 1811  
*Cysticus* cf. *jansseni* Jong y Coomans, 1988  
*Dalium solidum* Dall, 1889  
*Daphnella lymneiformis* (Kiener, 1840)  
*Daphnella margaretae* Lyons, 1972  
*Daphnella stegeri* McGinty, 1955  
*Decipifus sixaolus* Olsson y McGinty, 1958  
*Dendrodoris krebisii* (Mörch, 1863)  
*Dendropoma annulatus* (Daudin, 1800)  
*Dendropoma corrodens* (d'Orbigny, 1842)  
*Dentalium americanum* Chenu, 1843  
*Dentalium gouldii* Dall, 1889  
*Dentalium laqueatum* Verrill, 1885  
*Dentimargo aureocincta* (Stearns, 1872)  
*Dentimargo reducta* (Bavay, 1922)  
*Dentimargo sulcata* (d'Orbigny, 1842)  
*Dermomurex kaicherae* Petuch, 1987  
*Dermomurex oxum* Petuch, 1979  
*Dermomurex pauperculus* (C.B. Adams, 1850)  
*Detracia bullaoides* (Montagu, 1808)  
*Diacria major* (Boas, 1886)  
*Diacria rampali* Dupont, 1979  
*Diacria trispinosa* (Blainville, 1821)  
*Dimya tigrina* Bayer, 1971  
*Diodora aguayoi* Pérez-Farfante, 1943  
*Diodora cayennensis* (Lamarck, 1822)  
*Diodora dysoni* (Reeve, 1850)  
*Diodora harrassowitzi* (Ihering, 1927)  
*Diodora jaumei* Aguayo y Rehder, 1936  
*Diodora listeri* (d'Orbigny, 1842)  
*Diodora meta* (von Ihering, 1927)  
*Diodora minuta* (Lamarck, 1822)  
*Diodora sayi* (Dall, 1889)  
*Diodora tanneri* (Verrill, 1882)  
*Diodora viridula* (Lamarck, 1822)  
*Diplodonta notata* Dall y Simpson, 1901  
*Diplodonta nucleiformis* Wagner, 1838  
*Diplodonta punctata* (Say, 1822)

*Diplodonta semiaspera* (Philippi, 1836)  
*Diplodonta soror* (C.B. Adams, 1852)  
*Diplothyra smithi* Tryon, 1862  
*Discodoris evelinae* Marcus, 1955  
*Discotectonica discus* (Philippi, 1844)  
*Distorsio clathrata* Lamarck, 1816  
*Distorsio mcgintyi* Emerson y Puffer, 1953  
*Divaricella quadrisulcata* (d'Orbigny, 1842)  
*Divaricella weberi* Olsson y McGinty, 1958  
*Divarilima albicoma handini* J. y W. Gibso-Smith, 1982  
*Dolabrifera dolabrifera* (Rang, 1828)  
*Dolicholattirus pauli* (McGinty, 1955)  
*Donax* cf. *vagus* Weisbord, 1964  
*Donax denticulatus* Linné, 1758  
*Donax striatus* Linné, 1767  
*Donax vellicatus* Reeve, 1855  
*Dondice occidentalis* (Engel, 1925)  
*Dosinia concentrica* (Born, 1778)  
*Douglassia enae* Bartsch, 1934  
*Doxospira horrenda*  
*Drilliola loprestiana* (Calcara, 1841)  
*Echininus nodulosus* (Pfeiffer, 1839)  
*Echinolittorina angustior* (Mörch, 1876)  
*Echinolittorina meleagris* (Potiez y Michaud, 1838)  
*Echinolittorina mespillum* (Mühlfeld, 1824)  
*Echinolittorina tuberculata* (Menke, 1828)  
*Echinolittorina ziczac* (Gmelin, 1791)  
*Echinophoria coronadoi* (Crosse, 1867)  
*Eliptotellina americana* (Dall, 1900)  
*Elysia ornata* (Swainson, 1840)  
*Emarginula phrixoides* Dall, 1927  
*Emarginula pumila* (A. Adams, 1851)  
*Engina turbinella* (Kiener, 1835)  
*Entalina platamodes* (Watson, 1879)  
*Entalinopsis callithrix*  
*Entodesma beana* (d'Orbigny, 1842)  
*Eosipho canetae* (Clench y Aguayo, 1944)  
*Episiphon didymum* (Watson, 1879)  
*Epitonium albidum* (d'Orbigny, 1842)  
*Epitonium angulatum* (Say, 1830)  
*Epitonium babylonium* (Dall, 1889)  
*Epitonium candeanum* (d'Orbigny, 1842)  
*Epitonium denticulatum* (Sowerby, 1844)  
*Epitonium echinaticostum* (d'Orbigny, 1842)  
*Epitonium foliaceicostum* (d'Orbigny, 1842)  
*Epitonium krebsii* (Mörch, 1874)  
*Epitonium lamellosum* (Lamarck, 1822)  
*Epitonium multistriatum matthewsae* Clench y Turner, 1952  
*Epitonium nautlae* (Mörch, 1874)  
*Epitonium novangliae* (Couthouy, 1838)  
*Epitonium rupicolum* (Kurz, 1860)  
*Epitonium sericifilum* (Dall, 1889)  
*Epitonium turnerae* Altena, 1971

*Epitonium unifasciatum* (Sowerby, 1844)  
*Epyscinia inornata* (d'Orbigny, 1842)  
*Erato maugeriae* Gray en Sowerby, 1832  
*Eratoidea hematita* (Kiener, 1834)  
*Ervilia nitens* (Montagu, 1806)  
*Erycina periscopiana* Dall, 1899  
*Euaxoctopus pillsburyae* Voss, 1975  
*Euciroa elegantissima* (Dall, 1881)  
*Euciroa grandis*  
*Eucrassatella speciosa* (A. Adams, 1852)  
*Eudolium bairdii* (Verrill y Smith, 1881)  
*Eudolium crosseanum* (Monterosato, 1869)  
*Eulima auricincta* Abbott, 1958  
*Eulima bifasciata* (d'Orbigny, 1842)  
*Eulimostraca subcarinata* (d'Orbigny, 1842)  
*Euvola chazaliei* (Dautzenberg, 1900)  
*Euvola ziczac* (Linné, 1758)  
*Fasciolaria tulipa* (Linné, 1758)  
*Favartia alveata* (Kiener, 1842)  
*Favartia cellulosa* (Conrad, 1846)  
*Favartia nucea* (Mörch, 1850)  
*Fedikovella beanii* (Dall, 1882)  
*Fenimorea halidorema* Schwengel, 1940  
*Ficus communis* Röding, 1798  
*Finella adamsi* (Dall, 1889)  
*Finella dubia* (d'Orbigny, 1842)  
*Fissurella angusta* Gmelin, 1791  
*Fissurella barbadensis* Gmelin, 1791  
*Fissurella nimbose* (Linné, 1758)  
*Fissurella nodosa* (Born, 1778)  
*Fissurella rosea* (Gmelin, 1791)  
*Fissurisepta acuminata* (Watson, 1883)  
*Flabellina engeli* Marcus, 1968  
*Fossarus orbigny* Fischer, 1864  
*Fugleria tenera* (C. B. Adams, 1845)  
*Fulgurofusus brayi* (Clench, 1959)  
*Fusinus caboblanquensis* Weisbord, 1964  
*Fusinus closter* (Philippi, 1850)  
*Fusinus colombiensis* Snyder y Snyder, 1999  
*Fusinus harvegi* Hadorn y Rogers, 2000  
*Fusinus helenae* Bartsch, 1939  
*Fusinus lightbourni* Snyder, 1984  
*Fusiturrricula enae* Bartsch, 1934  
*Fusiturrricula jaquensis* (Sowerby, 1850)  
*Gadila acus* (Dall, 1889)  
*Gadila* cf. *atlanticus* (Henderson, 1920)  
*Gadila watsoni* (Dall, 1881)  
*Gastrochaena hians* (Gmelin, 1791)  
*Gastrochaena ovata* Sowerby, 1834  
*Gaza fischeri* Dall, 1889  
*Gaza olivacea* Quinn, 1991  
*Gaza watsoni* (Dall, 1881)  
*Gemma gemma* (Totten, 1934)

*Gemmula periscelida* (Dall, 1889)  
*Gibberula lavalleana* (d'Orbigny, 1842)  
*Globidrillia smirna* (Dall, 1881)  
*Glossodoris neona* Marcus, 1955  
*Glossodoris perola* (Marcus, 1976)  
*Glycymeris decussata* (Linné, 1758)  
*Glycymeris pectinata* (Gmelin, 1791)  
*Glycymeris undata* (Linné, 1758)  
*Glyphostoma* cf. *guppyi* Woodring, 1928  
*Glyphostoma claudoni* (Dautzenberg, 1900)  
*Glyphostoma epicasta* Bartsch, 1934  
*Glyphostoma gabbii* (Dall, 1889)  
*Glyphostoma jousseaumei* (Dautzenberg, 1900)  
*Glyphostoma rioensis*  
*Glyphoturris quadrata* (Reeve, 1845)  
*Gouldia cerina* (C.B. Adams, 1845)  
*Gouldia insularis* (Dall y Simpson, 1901)  
*Graphis underwoodae* Bartsch, 1947  
*Graptacme eboreum* (Conrad, 1846)  
*Graptacme semistriolatum* (Guilding, 1834)  
*Gregariella coralliophaga* (Gmelin, 1791)  
*Gymnotoplax quadridens* (Mörch, 1863)  
*Haliotis pourtalesii* Dall, 1881  
*Haliris fischeriana* (Dall, 1881)  
*Haminoea antillarum* (d'Orbigny, 1841)  
*Haminoea elegans* (Gray, 1825)  
*Haminoea petiti* (d'Orbigny, 1841)  
*Haminoea succinea* (Conrad, 1846)  
*Haplocochlias moolenbeeki* Jong y Coomans, 1988  
*Haplocochlias swifti* Vanatta, 1913  
*Harasewychia harasewychi* Petuch, 1987  
*Heliacus bisulcatus* d'Orbigny, 1842  
*Heliacus cylindricus* (Gmelin, 1791)  
*Hemitoma emarginata* (Blainville, 1825)  
*Hemitoma octoradiata* (Gmelin, 1791)  
*Heterodonax bimaculatus* (Linné, 1758)  
*Heteroteuthis dispar* Voss, 1955  
*Hexabranthus mormosus* Marcus, 1962  
*Hindsiclava alesidota* (Dall, 1889)  
*Hindsiclava chazaliei* (Dautzenberg, 1900)  
*Hindsiclava tippetti* Petuch, 1987  
*Hinnites adamsi* Dall, 1886  
*Hipponix antiquatus* (Linné, 1767)  
*Hipponix subrufus* Lamarck, 1819  
*Hyalina pallida* (Linné, 1758)  
*Hyalorisia galea* (Dall, 1889)  
*Hydatina vesicaria* (Lightfoot, 1786)  
*Hyotissa hyotis* (Linné, 1758)  
*Hypselodoris bayeri* (Ev. Marcus y Er. Marcus, 1967)  
*Idas argenteus* Jeffreys, 1876  
*Illex coindetii* (Verany, 1839)  
*Iphigenia brasiliiana* (Lamarck, 1818)  
*Ischnochiton erythronotus* (C.B. Adams, 1845)

*Ischnochiton pseudovirgatus* Kaas, 1972  
*Ischnochiton striolatus* (Gray, 1828)  
*Ischnoplax pectinata* (Sowerby, 1840)  
*Iselica anomala* (C.B. Adams, 1850)  
*Isognomon alatus* (Gmelin, 1791)  
*Isognomon bicolor* (C.B. Adams, 1845)  
*Isognomon radiatus* (Anton, 1839)  
*Ithycythara auberiana* (d'Orbigny, 1842)  
*Ithycythara cymella* (Dall, 1889)  
*Ithycythara lanceolata* (C.B. Adams, 1850)  
*Ithycythara psila* (Bush, 1885)  
*Janthina globosa* Swainson, 1822  
*Janthina janthina* (Linné, 1758)  
*Jaspidella blanesi* (Ford, 1898)  
*Jaspidella jaspidea* (Gmelin, 1791)  
*Kurtziella serga* (Dall, 1881)  
*Kurziella* cf. *citronella* (Dall, 1889)  
*Kurziella dorvillae* (Reeve, 1845)  
*Laevicardium fragilis*  
*Laevicardium laevigatum* (Linné, 1758)  
*Laevicardium multilineatum* (Dall y Simpson, 1901)  
*Laevicardium pictum* (Ravenel, 1861)  
*Laevicardium sybariticum* (Dall, 1886)  
*Laevidentalium callipeplum*  
*Laevidentalium liodon* (Pilsbry y Sharp, 1897)  
*Laevityphis bullisi* (Gertmann, 1969)  
*Lamellaria perspicua* (Linné, 1758)  
*Lasaea adansoni* (Gmelin, 1791)  
*Latirus angulatus* (Röding, 1798)  
*Latirus cariniferus* (Lamarck, 1822)  
*Latirus infundibulum* (Gmelin, 1791)  
*Latirus mcgintyi* Pilsbry, 1939  
*Lepicythara cymella*  
*Lepidochitona liozonis* (Dall y Simpson, 1901)  
*Lepidochitona rosea* Kaas, 1972  
*Lepidopleurus pergranatus* (Dall, 1889)  
*Leptadrillia albicoma* (Dall, 1889)  
*Leptadrillia splendida* Bartsch, 1934  
*Leptochiton binghami* (Boone, 1928)  
*Lepton lepidum* Say, 1826  
*Leptopecten bavayi* (Dautzenberg, 1900)  
*Leucosyrinx tenoceras* Dall, 1889  
*Leucosyrinx verrillii* (Dall, 1881)  
*Leucozonia nassa* (Gmelin, 1791)  
*Leucozonia ocellata* (Gmelin, 1791)  
*Lima colombiana* (H.E. Vokes, 1970)  
*Lima lima* (Linné, 1758)  
*Lima locklini* McGinty, 1955  
*Lima pellucida* C.B. Adams, 1846  
*Lima scabra* (Born, 1778)  
*Limaria pellucida* (C.B. Adams, 1846)  
*Limatula hendersoni* Olsson y McGinty, 1958  
*Limopsis antillensis* Dall, 1881

*Limopsis sulcata* Verrill y Bush, 1898  
*Lioberus castaneus* (Say, 1822)  
*Liocranchia reinhardti* (Steenstrup, 1856)  
*Lioglyphostoma hendersoni*  
*Lithophaga antillarum* (d'Orbigny, 1842)  
*Lithophaga aristata* (Dillwyn, 1817)  
*Lithophaga bisulcata* (d'Orbigny, 1842)  
*Litiopa melanostoma* Rang, 1829  
*Littoraria angulifera* (Lamarck, 1822)  
*Littoraria flava* (King y Broderip, 1832)  
*Littoraria nebulosa* (Lamarck, 1822)  
*Littorina interrupta* (C.B. Adams, 1847)  
*Loligo pealei* LeSueur, 1821  
*Loligo plei* Blainville, 1823  
*Loligo roperi* Cohen, 1976  
*Lolliguncula brevis* (Blainville, 1823)  
*Lopha frons* (Linné, 1758)  
*Lucapina aegis* (Reeve, 1850)  
*Lucapina sowerbyi* (Sowerby, 1835)  
*Lucapina suffusa* (Reeve, 1850)  
*Lucapinella limatula* (Reeve, 1850)  
*Lucina* cf. *phenax* Dall y Simpson, 1901  
*Lucina keenae* Chavan, 1971  
*Lucina muricata* (Spengler, 1798)  
*Lucina nassula* (Conrad, 1846)  
*Lucina pectinata* Gmelin, 1791  
*Lucina pensylvanica* (Linné, 1758)  
*Lunarca ovalis* (Bruguere, 1789)  
*Lyonsia hyalina floridana* Conrad, 1849  
*Lyonsiella cordata* (Verrill y Bush, 1898)  
*Macoma brasilliana* (Dall, 1921)  
*Macoma cleryana* (d'Orbigny, 1846)  
*Macoma constricta* (Bruguere, 1792)  
*Macoma pseudomera* Dall y Simpson, 1901  
*Macoma tageliformis* Dall, 1900  
*Macoma tenta* (Say, 1834)  
*Macromphalina palmalitoris* Pilsbry y McGinty, 1950  
*Maetra alata* Spengler, 1802  
*Maetra fragilis* Gmelin, 1791  
*Maetra iheringi* (Dall, 1887)  
*Maetra petiti* d'Orbigny, 1842  
*Maetra surinamensis* Altena, 1968  
*Mactrellona alata* (Spengler, 1802)  
*Malleus candeanus* (d'Orbigny, 1842)  
*Manaria fusiformis* (Clench y Aguayo, 1941)  
*Mangelia subsida* (Dall, 1881)  
*Marginella cloveri* Rios y Matthews, 1972  
*Marionia cucullata* (Couthouy, 1852)  
*Martesia cuneiformis* (Say, 1822)  
*Martesia fragilis* Verrill y Bush, 1890  
*Martesia striata* (Linné, 1758)  
*Mathilda barbadensis* Dall, 1881  
*Mazatlaniana aciculata* (Lamarck, 1822)

*Melampus coffeus* (Linné, 1758)  
*Melampus monilis* (Bruguiere, 1789)  
*Melanella amblytera* (Verrill y Bush, 1900)  
*Melanella arcuata* (C.B. Adams, 1850)  
*Melanella conica* (C.B. Adams, 1850)  
*Melanella conoidea* (Kurz y Stimpson, 1851)  
*Melanella hypsela* (Verrill y Bush, 1900)  
*Melanella intermedia* (Cantraine, 1835)  
*Melanella jamaicensis* (C.B. Adams, 1845)  
*Melongena melongena* (Linné, 1758)  
*Metula guppyi* Olsson y Bayer, 1972  
*Microcardium tinctum* (Dall, 1881)  
*Microdrillia subsida*  
*Micromelo undatus* (Bruguiere, 1792)  
*Microstelma gabbi* (Dall, 1889)  
*Microstelma vestale* (Redher, 1943)  
*Mitra barbadensis* (Gmelin, 1791)  
*Mitra* cf. *straminea* A. Adams, 1853  
*Mitra nodulosa* (Gmelin, 1791)  
*Mitrella dichroa* (Sowerby, 1844)  
*Mitrella lunata* (Say, 1826)  
*Mitrella nycteis* (Duclos, 1846)  
*Mitrella ocellata* (Gmelin, 1791)  
*Mitrolumna biplicata* (Dall, 1889)  
*Modiolus americanus* (Leach, 1815)  
*Modulus carchedonius* Gray, 1842  
*Modulus modulus* (Linné, 1758)  
*Mohnia kaicherae* Petuch, 1987  
*Morum dennisoni* (Reeve, 1842)  
*Morum oniscus* (Linné, 1767)  
*Mulinia cleryana* (d'Orbigny, 1846)  
*Murex blakeanus* E.H. Vokes, 1967  
*Murex chrysostoma* Sowerby, 1834  
*Murex consuelae* Verrill, 1950  
*Murex donmoorei* Bullis, 1964  
*Murex messorius* Sowerby, 1841  
*Murex olssoni* E.H. Vokes, 1967  
*Murex sunderlandi* Petuch, 1987  
*Murexsul harasewychi* Petuch, 1987  
*Muricopsis deformis* (Reeve, 1846)  
*Muricopsis gilbertharrisii* (Weisbord, 1962)  
*Muricopsis muricoides* (C.B. Adams, 1845)  
*Muricopsis oxytata* (Smith, 1938)  
*Muricopsis withrowi* Vokes y Houart, 1986  
*Musculus lateralis* (Say, 1822)  
*Myonera paucistriata* Dall, 1886  
*Myrtea lens* (Verrill y Smith, 1880)  
*Myrtea prystiphora* Dall y Simpson, 1901  
*Mysella planulata* (Stimpson, 1857)  
*Mytilopsis sallei* (Récluz, 1849)  
*Nannodiella vespuciana* (d'Orbigny, 1842)  
*Nassarina minor* (C.B. Adams, 1845)  
*Nassarina monilifera* (Sowerby, 1844)

*Nassarius antillarum* (d'Orbigny, 1842)  
*Nassarius consensos* (Ravenel, 1861)  
*Nassarius hotessierianus* (d'Orbigny, 1842)  
*Nassarius scissuratus* (Dall, 1889)  
*Nassarius vibex* (Say, 1822)  
*Natica canrena* (Linné, 1758)  
*Natica cayennensis* Recluz, 1850  
*Natica floridana* (Rehder, 1943)  
*Natica guesti* Harasewych y Jensen, 1984  
*Natica livida* Pfeiffer, 1840  
*Natica marochiensis* (Gmelin, 1791)  
*Natica pusilla* Say, 1822  
*Neilo dilatata*  
*Nemocardium peramabile* (Dall, 1881)  
*Nemocardium tinctum* (Dall, 1881)  
*Neodrillia cydia* Bartsch, 1943  
*Nerita fulgurans* Gmelin, 1791  
*Nerita meleagris* Lamarck, 1822  
*Nerita peloronta* Linné, 1758  
*Nerita punctulata* Lamarck, 1816  
*Nerita tessellata* Gmelin, 1791  
*Nerita versicolor* Gmelin, 1791  
*Nerita virginea* (Linné, 1758)  
*Niso aeglees* Bush, 1885  
*Nitidella nitida* (Lamarck, 1822)  
*Nodipecten nodosus* (Linné, 1758)  
*Noetia bisulcata* (Lamarck, 1819)  
*Notocrater houbricki* McLean y Harasewych, 1995  
*Notocrater youngi* McLean y Harasewych, 1995  
*Nucula calcicola* Moore, 1977  
*Nucula dalmasi* Dautzenberg, 1900  
*Nucula pisum* Sowerby I, 1833  
*Nucula puelcha* (d'Orbigny, 1842)  
*Nucula tenuis*  
*Nucula venezuelana* Weisbord, 1964  
*Nuculana acuta* (Conrad, 1931)  
*Nuculana carpenteri* (Dall, 1881)  
*Nuculana cestrota* (Dall, 1890)  
*Nuculana concentrica* (Say, 1824)  
*Nuculana platessa* (Dall, 1890)  
*Nuculana vitrea* (Dall, 1881)  
*Nuvuca lurca* Marcus y Marcus, 1967  
*Oceanida graduata* Folin, 1870  
*Octopus briareus* Robson, 1929  
*Octopus burryi* Voss, 1950  
*Octopus defilippi* Verany, 1851  
*Octopus filusus* Howell, 1867  
*Octopus hummelincki* Adam, 1936  
*Octopus joubini* Robson, 1929  
*Octopus macropus* Risso, 1826  
*Octopus tehuelchus* d'Orbigny, 1834  
*Octopus vulgaris* Cuvier, 1797  
*Octopus zonatus* Voss, 1968

*Odostomia abbotti* (Olsson y McGinty, 1958)  
*Odostomia canaliculata* (C.B. Adams, 1850)  
*Odostomia* cf. *robertsoni* (Altena, 1975)  
*Odostomia didyma* Verrill y Bush, 1900  
*Odostomia dux* Dall y Bartsch, 1906  
*Odostomia engonium surinamense* (Altena, 1975)  
*Odostomia gemmulosa* C.B. Adams, 1850  
*Odostomia havanensis* Pilsbry y Aguayo, 1933  
*Odostomia jadisi* Olsson y McGinty, 1958  
*Odostomia laevigata* (d'Orbigny, 1842)  
*Odostomia seminuda* (C.B. Adams, 1837)  
*Odostomia somersi* (Verrill y Bush, 1900)  
*Odostomia teres* Bush, 1885  
*Odostomia terryi* Olsson y McGinty, 1958  
*Odostomia virginiae* (Altena, 1975)  
*Oliva bewleyi* Marrat, 1871  
*Oliva circinata* Marrat, 1871  
*Oliva goajira* Petuch y Sargent, 1986  
*Oliva reticularis* Lamarck, 1810  
*Oliva scripta* Lamarck, 1810  
*Olivella acteocina* Olsson, 1956  
*Olivella ankei* Díaz y Gotting, 1990  
*Olivella floralia* (Duclos, 1853)  
*Olivella lactea* (Marrat, 1871)  
*Olivella minuta* (Link, 1807)  
*Olivella myrmecoön* Dall, 1912  
*Olivella nivea* (Gmelin, 1791)  
*Olivella olssoni* Altena, 1975  
*Olivella petiolita* (Duclos, 1835)  
*Ommastrephes bartrami* (LeSueur, 1821)  
*Onchidella flridana* (Dall, 1885)  
*Onychoteuthis banksii* (Leach, 1817)  
*Onykia carriboea* LeSueur, 1821  
*Oocorys bartschi* clericus Quinn, 1980  
*Oocorys sulcata* Fischer, 1883  
*Opalia burryi* Clench y Turner, 1950  
*Opalia pumilio* (Mörch, 1874)  
*Opisthoteuthis agassizi* Verrill, 1883  
*Ornithoteuthis antillarum* Adam, 1957  
*Orthoyoldia crosbyana* (Guppy, 1882)  
*Orthoyoldia scapania* (Dall, 1890)  
*Ostrea equestris* Say, 1834  
*Pachybatron tayrona* Díaz y Velásquez, 1987  
*Pandora bushiana* Dall, 1886  
*Papyridea semisulcata* (Gray, 1825)  
*Papyridea soleniformis* (Bruguiere, 1789)  
*Paradentalium americanum* (Chenu, 1843)  
*Paravolvulella texasiana* Harry, 1967  
*Parvamussium pourtalesianum*  
*Parvamussium sayanum*  
*Parvilucina amianta* (Dall, 1901)  
*Parvilucina blanda* (Dall y Simpson, 1901)  
*Parvilucina clenchi* (Altena, 1968)

*Parvilucina multilineata* (Tuomey y Holmes, 1857)  
*Parviturbo rehderi* Pilsbry y McGinty, 1945  
*Parviturbooides interruptus* (C.B. Adams, 1850)  
*Paziella oregonia* (Bullis, 1964)  
*Pecten ziczac*  
*Pectinodonta arcuata* Dall, 1882  
*Pedipes mirabilis* (Mühlfeld, 1816)  
*Peltodoris hummelincki igla* Marcus, 1967  
*Periglypta listeri* (Gray, 1838)  
*Periploma coquettae* Altena, 1968  
*Periploma coseli* Ardila y Díaz, 1998  
*Periploma margaritaceum* (Lamarck, 1801)  
*Periploma sanctamarthaense* Ardila y Díaz, 1998  
*Peristichia agria* Dall, 1889  
*Perna perna* (Linné, 1758)  
*Persicula fluctuata* (C.B. Adams, 1850)  
*Persicula interruptolineata* (Mühlfeld, 1816)  
*Persicula porcellana* (Gmelin, 1791)  
*Persicula pulcherrima* (Gaskoin, 1849)  
*Petalifera ramosa* Baba, 1959  
*Petalconchus erectus* (Dall, 1888)  
*Petalconchus varians* (d'Orbigny, 1841)  
*Petricola lapicida* (Gmelin, 1791)  
*Petricola pholadiformis gracilis* Deshayes, 1835  
*Phalium coronadoi* (Crosse, 1867)  
*Phalium granulatum* (Born, 1778)  
*Phenacolepas hamillei* (Fischer, 1857)  
*Phenacovolva lindae* Petuch, 1987  
*Phidiana lynceus* Bergh, 1867  
*Philine alba* Mattox, 1958  
*Philine infundibulum* Dall, 1889  
*Philine sagra* d'Orbigny, 1841  
*Philippia krebsi* (Morch, 1875)  
*Pholadomya candida* Sowerby, 1823  
*Pholas campechiensis* Gmelin, 1791  
*Pholidoteuthis adami* Voss, 1955  
*Phos uncinatus* (Say, 1825)  
*Phyllaplysia engeli* Marcus, 1955  
*Phyllidiopsis papilligera* Berg, 1890  
*Phyllonotus margaritensis* (Abbot, 1958)  
*Phyllonotus oculatus* (Reeve, 1845)  
*Phyllonotus pomum* (Gmelin, 1791)  
*Pickfordiateuthis pulchella* Voss, 1953  
*Pilsbryspira albocincta* (C.B. Adams, 1845)  
*Pilsbryspira leucocyma* (Dall, 1883)  
*Pilsbryspira zebroides* (Weinkauff, 1875)  
*Pinctada imbricata* Röding, 1798  
*Pinna carnea* (Gmelin, 1791)  
*Pisania auritula* (Link, 1807)  
*Pisania karinae* Usticke, 1959  
*Pisania pusio* (Linné, 1758)  
*Pisania tinctoria* (Conrad, 1846)  
*Pitar albidus* (Gmelin, 1791)

*Pitar arestus* (Dall y Simpson, 1901)  
*Pitar circinatus* (Born, 1778)  
*Pitar dione* (Linné, 1758)  
*Pitar fulminatus* (Menke, 1828)  
*Planaxis lineatus* (da Costa, 1778)  
*Planaxis nucleus* (Bruguiere, 1789)  
*Planktomya henseni* Simroth, 1896  
*Plectodon granulatus* (Dall, 1881)  
*Pleurobranchaea inconspicua* Bergh, 1897  
*Pleurobranchus areolatus*  
*Pleurobranchus testudinarius* (Cantraine, 1840)  
*Pleuromalaxis balesi* Pilsbry y McGinty, 1945  
*Plicatula gibbosa* Lamarck, 1801  
*Pododesmus rudis* (Brodeip, 1834)  
*Poirieria actinophora* (Dall, 1889)  
*Polinices hepaticus* (Röding, 1798)  
*Polinices lacteus* (Guilding, 1834)  
*Polymesoda arctata* (Deshayes, 1854)  
*Polyschides parvus* (Henderson, 1920)  
*Polyschides portoricensis* (Henderson, 1920)  
*Polyschides tetraschistus* (Watson, 1879)  
*Polyschides tetrodon* (Pilsbry y Sharp, 1898)  
*Polystira albida* (Perry, 1811)  
*Polystira tellea* (Dall, 1889)  
*Poromya cymata*  
*Poromya granulata* (Nyst y Westendorp, 1839)  
*Poromya margarita*  
*Poromya rostrata* Rehder, 1943  
*Portlandia nigromaculata*  
*Pronum pronum* (Gmelin, 1791)  
*Pronum roosevelti* (Bartsch y Rehder, 1939)  
*Propeamussium dalli* (E.A. Smith, 1886)  
*Propeamussium pourtalesianum* (Dall, 1886)  
*Protothaca granulata* (Gmelin, 1791)  
*Protothaca pectorina* (Lamarck, 1818)  
*Prunum apicinum* (Menke, 1828)  
*Prunum guttatum* (Dillwyn, 1817)  
*Prunum marginatum* (Born, 1778)  
*Prunum poulosi* Lipe, 1996  
*Psammotreta intastriata* (Say, 1827)  
*Pseudochama radians* (Lamarck, 1819)  
*Pseudocyphoma intermedium* (Sowerby, 1828)  
*Pseudorotella* cf. *cocolitoris* (Pilsbry y McGinty, 1945)  
*Pseudorotella parvicallum* (Pilsbry y McGinty, 1945)  
*Pseudosimnia vanhyningi* (M. Smith, 1940)  
*Pteria colymbus* (Röding, 1798)  
*Pterotyphys pinnatus* (Broderip, 1833)  
*Puncturella vetula* Woodring, 1928  
*Puperita pupa* (Linné, 1767)  
*Puperita tristis* (d'Orbigny, 1842)  
*Purpura patula* (Linné, 1758)  
*Pusia albocincta* (C.B. Adams, 1845)  
*Pusia cubana* Aguayo y Rehder, 1936

*Pusia dermestina* (Lamarck, 1811)  
*Pusia gemmata* (Sowerby, 1871)  
*Pusia laterculata* (Sowerby, 1874)  
*Pusia puella* (Reeve, 1845)  
*Pusia venusta* Sarasúa, 1978  
*Pusiolina exigua* (C.B. Adams, 1845)  
*Pusiolina veldhoveni* Jong y Coomans, 1988  
*Pygmaepterys* cf. *lourdesae* J.W. Gibbson-Smith, 1980  
*Pygmaepterys juanita* J.W. Gibbson-Smith, 1980  
*Pyramidella crenulata* (Holmes, 1959)  
*Pyramidella dolobrata* (Linné, 1758)  
*Pyrene ovulata* (Lamarck, 1822)  
*Pyrgocythara lavalleana* (d'Orbigny, 1842)  
*Pyrgophorus parvulus* (Guilding, 1828)  
*Pyrgospira ostrearum* (Stearns, 1872)  
*Pythinella cuneata* (Verrill y Bush, 1898)  
*Raeta plicatella* (Lamarck, 1818)  
*Ranella olearium* (Linné, 1758)  
*Retusa sulcata* (d'Orbigny, 1842)  
*Rhombinella laevigata* (Linné, 1758)  
*Rimosodaphnella morra* (Dall, 1881)  
*Rimula pycnonema* Pilsbry, 1943  
*Ringicula nitida* Verrill, 1872  
*Ringicula semistriata* d'Orbigny, 1842  
*Rissoina bermudenzi* (Aguayo y Rehder, 1936)  
*Rissoina cancellata* Philippi, 1847  
*Rissoina catesbyana* d'Orbigny, 1842  
*Rissoina decussata* (Montagu, 1803)  
*Rissoina fischeri* Desjardin, 1949  
*Rissoina multicostata* (C.B. Adams, 1850)  
*Rissoina princeps* (C.B. Adams, 1850)  
*Rissoina sagraiana* d'Orbigny, 1842  
*Rissoina striatocostata* d'Orbigny, 1842  
*Rissoina striosa* (C.B. Adams, 1850)  
*Rissoinia bryerea* (Montagu, 1803)  
*Rubellatoma rubella* (Kurz y Stimpson, 1851)  
*Rupellaria typica* (Jonas, 1844)  
*Sanguinolaria cruenta* (Lightfoot, 1786)  
*Sanguinolaria sanguinolenta* (Gmelin, 1791)  
*Scaphander clavus* Dall, 1889  
*Scaphander darius* Marcus y Marcus, 1967  
*Scaphander watsoni rehderi* Bullis, 1956  
*Scapharca brasiliiana* (Lamarck, 1819)  
*Scaphella evelina* Bayer, 1971  
*Scissuladrana ludmillae* (Petuch, 1987)  
*Scissurella cingulata* (Costa, 1861)  
*Sconsia lindae* Petuch, 1987  
*Sconsia striata* (Lamarck, 1816)  
*Seguenzia hapala* Woodring, 1928  
*Seila adamsi* (Lea, 1845)  
*Semele bellastrata* (Conrad, 1837)  
*Semele nuculoides* (Conrad, 1841)  
*Semele proficua* (Pulteney, 1799)

*Semele purpurascens* (Gmelin, 1791)  
*Semirossia equalis* Voss, 1950  
*Semirossia tenera* (Verril, 1880)  
*Sepioteuthis sepioidea* (Blainville, 1823)  
*Serpulorbis decussata* (Gmelin, 1791)  
*Sigatica semisulcata* (Gray, 1839)  
*Simnia acicularis* (Lamarck, 1810)  
*Simnia uniplicata* (Sowerby, 1848)  
*Sinum maculatum* (Say, 1831)  
*Sinum perspectivum* (Say, 1831)  
*Siphonaria pectinata* (Linné, 1758)  
*Siphonochelus riosi* (Bertsch y D'Attilio, 1980)  
*Siphonochelus tityrus* (Bayer, 1971)  
*Siratus beauui* (Fischer y Bernardi, 1857)  
*Siratus thompsoni* (Bullis, 1964)  
*Smaragdia viridis viridemarís* Maury, 1917  
*Solariella actinophora* Dall, 1880  
*Solariella lubrica* (Dall, 1881)  
*Solariorbis bartschi* (Vanatta, 1913)  
*Solariorbis corylus* Olsson y McGinty, 1958  
*Solariorbis cupidinensis* (Altena, 1966)  
*Solariorbis funiculus* (Dall, 1892)  
*Solariorbis guianensis* Altena, 1966  
*Solariorbis infracarinata* Gabb, 1881  
*Solecortus cumingianus* Dunker, 1861  
*Solemya caribbaea* H.E. Vokes, 1970  
*Solemya occidentalis* (Deshayes, 1858)  
*Solen obliquus* Spengler, 1794  
*Solen rosewateri* Altena, 1971  
*Solen tairona* Cosel, 1985  
*Spathochlamys benedicti* (Verril y Bush, 1897)  
*Spengleria rostrata* (Spengler, 1783)  
*Sphenia antillensis* Dall y Simpson, 1901  
*Spinospella acuticostata* (Philippi, 1844)  
*Spirula spirula* (Linné, 1758)  
*Splendrillia lissotropis* (Dall, 1881)  
*Spondylus americanus* Hermann, 1781  
*Spondylus ictericus* Reeve, 1856  
*Spurilla neapolitana* (Delle Chiaje, 1823)  
*Stenodrillia gundlachi* (Dall y Simpson, 1901)  
*Stenodrillia horrenda* (Watson, 1886)  
*Stenoplax limaciformis* (Sowerby, 1840)  
*Sthenorythis pernobilis* (Fisher y Bernardi, 1857)  
*Stigmaulax sulcata* (Born, 1778)  
*Strigilla gabbi* Olsson y McGinty, 1958  
*Strigilla mirabilis* (Philippi, 1841)  
*Strigilla pisiformis* (Linné, 1758)  
*Strigilla producta* Tryon, 1870  
*Strigilla pseudocarnaria* Boss, 1969  
*Striocadulus magdalenensis*  
*Strombina pumilio* (Reeve, 1859)  
*Strombus costatus* Gmelin, 1791  
*Strombus gallus* Linné, 1758

*Strombus gigas* Linné, 1758  
*Strombus pugilis* Linné, 1758  
*Strombus raninus* Gmelin, 1791  
*Stylocheilus longicauda* (Quoy y Gaimard, 1824)  
*Subcancilla leonhardhilli* Petuch, 1987  
*Suturoglypta procera* Simone y Gracia, 2006  
*Syntomodrillia woodringi* Bartsch, 1934  
*Tactarius muricatus* (Linné, 1758)  
*Tagelus divisus* (Spengler, 1794)  
*Tagelus plebeius* (Lightfoot, 1786)  
*Talityphis expansus* (Sowerby, 1834)  
*Taringa telopia* Marcus, 1955  
*Tegula excavata* (Lamarck, 1822)  
*Tegula fascista* (Born, 1778)  
*Tegula hotessieriana* (d'Orbigny, 1842)  
*Tegula lividomaculata* (C.B. Adams, 1845)  
*Tegula viridula* (Gmelin, 1791)  
*Teinostoma clavium* Pilsbry y McGinty, 1945  
*Teinostoma coccolitoris* Pilsbry y McGinty, 1945  
*Teinostoma goniogyrus* Pilsbry y McGinty, 1945  
*Teinostoma incertum* Pilsbry y McGinty, 1945  
*Teinostoma leremum* Pilsbry y McGinty, 1945  
*Teinostoma megastoma* (C.B. Adams, 1850)  
*Teinostoma nesaeum* Pilsbry y McGinty, 1945  
*Tellina aequistriata* Say, 1824  
*Tellina angulosa* Gmelin, 1791  
*Tellina consobrina* d'Orbigny, 1842  
*Tellina cristallina* Spengler, 1798  
*Tellina diantha* Boss, 1964  
*Tellina exerythra* Boss, 1964  
*Tellina fausta* Pulteney, 1799  
*Tellina juttingae* (Altena, 1965)  
*Tellina laevigata* Linné, 1758  
*Tellina lineata* Turton, 1819  
*Tellina listeri* Röding, 1798  
*Tellina magna* Spengler, 1798  
*Tellina martinicensis* d'Orbigny, 1842  
*Tellina mera* Say, 1834  
*Tellina nitens* C.B. Adams, 1845  
*Tellina persica* Dall y Simpson, 1901  
*Tellina probrina* Boss, 1964  
*Tellina punicea* Born, 1778  
*Tellina radiata* Linné, 1758  
*Tellina sadix* Boss, 1968  
*Tellina sybaritica* Dall, 1881  
*Tellina trinitatis* Tomlin, 1929  
*Tellina versicolor* De Kay, 1843  
*Tellina vespuciana* d'Orbigny, 1842  
*Temnoconcha brasiliiana* (Dall, 1921)  
*Tenagodus modestus* (Dall, 1881)  
*Tenagodus squamata* Blainville, 1827  
*Tenaturris bartletti* (Dall, 1889)  
*Tenaturris* cf. *albovittata* (C.B. Adams, 1845)

*Tenaturris fusca* (C.B. Adams, 1845)  
*Tenaturris trilineata* (C.B. Adams, 1850)  
*Teralatirus cayohuesonicus* (Sowerby, 1878)  
*Terebra colombiensis* Simone y Gracia, 2006  
*Terebra floridana* (Dall, 1889)  
*Terebra hastata* (Gmelin, 1791)  
*Terebra nassula* Dall, 1889  
*Terebra protexta* (Conrad, 1846)  
*Terebra salleana* (Deshayes, 1859)  
*Terebra sterigmoidea* Simone y Gracia, 2006  
*Terebra taurina* (Lightfoot, 1786)  
*Terebra weisbordi* Gibson-Smith, 1984  
*Tetracheledone spinicirrus* Voss, 1955  
*Thais coronata coronata* (Lamarck, 1822)  
*Thais coronata trinitatensis* (Guppy, 1869)  
*Thais deltoidea* (Lamarck, 1822)  
*Thais haemastoma floridana* (Conrad, 1837)  
*Thais haemastoma haemastoma* (Linné, 1767)  
*Thais rustica* (Lamarck, 1822)  
*Thatcherina diaza* Gracia y Vera-Peláez, 2004  
*Thelecythara floridana* Fargo, 1953  
*Thracia distorta* (Montagu, 1808)  
*Thyasira conia* Dall y Simpson, 1901  
*Thyasira trisinuata* d'Orbigny, 1842  
*Thysanoteuthis rhombus* Troschel, 1857  
*Timothyneus rehderi* (Altena, 1968)  
*Tindaria amabilis* Dall, 1889  
*Tindaria cytherea* (Dall, 1881)  
*Tivela abaconis* Dall, 1902  
*Tivela geijskesi* Altena, 1968  
*Tivela mactroides* (Born, 1778)  
*Tonicia schrammi* (Shuttleworth, 1853)  
*Tonna galea* (Linné, 1758)  
*Tonna maculosa* (Dillwyn, 1817)  
*Trachycardium isocardia* (Linné, 1758)  
*Trachycardium magnum* (Linné, 1758)  
*Trachycardium muricatum* (Linné, 1758)  
*Trachypollia didyma* (Schwengel, 1943)  
*Trachypollia nodulosa* (C.B. Adams, 1845)  
*Tralia ovula* (Bruguiere, 1789)  
*Transenella cubaniana* (d'Orbigny, 1842)  
*Transenella culebrana* Dall y Simpson, 1901  
*Transenella simpsoni* Dall, 1902  
*Tremoctopus violaceus violaceus* Chiaie, 1830 en 1823-1831  
*Tricolia adamsi* (Philippi, 1853)  
*Tricolia affinis* (C.B. Adams, 1850)  
*Tricolia bella* (Smith, 1937)  
*Tricolia tessellata* (Potiez y Michaud, 1858)  
*Tricolia thalassicola* Robertson, 1958  
*Tridachia crispata* (Mörch, 1863)  
*Trigoniocardia antillarum* (d'Orbigny, 1842)  
*Trigonulina ornata* d'Orbigny, 1853  
*Trinchesia perca* (Marcus, 1956)

*Triphora decorata* (C.B. Adams, 1850)  
*Triphora exigua* (C.B. Adams, 1850)  
*Triphora intermedia* (C.B. Adams, 1850)  
*Triphora melanura* (C.B. Adams, 1850)  
*Triphora modesta* (C.B. Adams, 1850)  
*Triphora nigrocincta* (C.B. Adams, 1839)  
*Triphora ornata* (Deshayes, 1832)  
*Triphora turrithomae* (Holten, 1802)  
*Trivia antillarum* Schilder, 1922  
*Trivia nix* (Schilder, 1922)  
*Trivia pediculus* (Linné, 1758)  
*Trivia quadripunctata* (Gray, 1827)  
*Trivia suffusa* (Gray, 1827)  
*Trophon aculeatus* Watson, 1882  
*Trophon lacunellus* Dall, 1889  
*Trptychus niveus* Mörch, 1875  
*Truncatella caribaeensis* Reeve, 1842  
*Truncatella pulchella* Pfeiffer, 1839  
*Truncatella scalaris* (Michaud, 1830)  
*Tucetona pectinata* (Gmelin, 1791)  
*Tugurium caribaeum* (Petit, 1856)  
*Tugurium longleyi* (Bartsch, 1931)  
*Turbinella angulata* (Lightfoot, 1786)  
*Turbo cailletii* Fischer y Bernardi, 1856  
*Turbo castanea* Gmelin, 1791  
*Turbonilla abrupta* Bush, 1889  
*Turbonilla arnoldoi* Jong y Coomans, 1988  
*Turbonilla* cf. *dalli* Bush, 1899  
*Turbonilla* cf. *insularis* Dall y Simpson, 1901  
*Turbonilla* cf. *interrupta* (Totten, 1835)  
*Turbonilla* cf. *puncta* (C.B. Adams, 1850)  
*Turbonilla* cf. *unilirata* Bush, 1899  
*Turbonilla curta* Dall, 1889  
*Turbonilla elegans* (d'Orbigny, 1842)  
*Turbonilla hemphilli* Bush, 1899  
*Turbonilla levis* (C.B. Adams, 1850)  
*Turbonilla portoricana* Dall y Simpson, 1901  
*Turbonilla pupoides* d'Orbigny, 1842  
*Turbonilla pusilla* (C.B. Adams, 1850)  
*Turbonilla pyrrha* Bush, 1899  
*Turbonilla textilis* (Kurz, 1860)  
*Turricostellaria lindae* Petuch, 1987  
*Turritella exoleta* (Linné, 1758)  
*Turritella variegata* (Linné, 1758)  
*Typhis jardinreinensis* Espinosa, 1985  
*Umbraculum umbraculum* (Lightfoot, 1786)  
*Vanikoro oxygone* Mörch, 1877  
*Varicopeza crystallina* (Dall, 1881)  
*Vasum capitellum* (Linné, 1758)  
*Vasum muricatum* (Born, 1778)  
*Ventricolaria listeroides* Fischer-Piette y Testud, 1967  
*Ventricolaria rigida* (Dillwyn, 1817)  
*Vermicularia spirata* (Philippi, 1836)

*Vesicomya caribbea* Boss, 1967  
*Vesicomya cordata* Boss, 1968  
*Vesicomya pilula* (Dall, 1881)  
*Vexillum laterculatum* (Sowerby II, 1874)  
*Vexillum styria* (Dall, 1889)  
*Vitrinella anomala* (d'Orbigny, 1842)  
*Vitrinella bicaudata* Pilsbry y McGinty, 1946  
*Vitrinella elegans* Olsson y McGinty, 1958  
*Vitrinella filifera* (Verrill, 1884)  
*Vitrinella floridana* Pilsbry y McGinty, 1946  
*Vitrinella helicoidea* C.B. Adams, 1850  
*Vitrinella hemphilli* Vanatta, 1913  
*Vitrinella multistriata* (Verrill, 1884)  
*Vitrinella semisculpta* Olsson y McGinty, 1958  
*Volvarina albolineata* (d'Orbigny, 1842)  
*Voluta demarcoi* Olsson, 1965  
*Voluta musica* Linné, 1758  
*Voluta virescens* Lightfoot, 1786  
*Volutomitra erebus* Bayer, 1971  
*Volvarina avena* (Kiener, 1834)  
*Volvarina hennequini* Boyer, 2001  
*Volvarina lactea* (Kiener, 1841)  
*Volvarina monicae* (Díaz, Espinosa y Ortega, 1996)  
*Volvulella persimilis* (Mörch, 1875)  
*Volvulella recta* (Mörch, 1875)  
*Williamia krebsi* (Mörch, 1877)  
*Xenophora caribaea* Petit, 1857  
*Xenophora conchyliophora* (Born, 1780)  
*Xenophora longleyi* (Bartsch, 1931)  
*Xylophaga atlantica* Richards, 1942  
*Xylophaga* cf. *abyssorum* Dall, 1886  
*Zafrona pulchella* (Blainville, 1829)  
*Zebina browniana* (d'Orbig